



## OFFICE OF THE CITY MANAGER

December 24, 2014

To the Honorable City Council  
of the City of Pasadena

Mayor and Councilmembers:

### WEEKLY NEWSLETTER

#### 1. Polyphagous Shot Hole Borer (PSHB) – Update:

On July 9, 2014 the Department Public Works provided a newsletter article (attached) regarding the impact of the Polyphagous Shot Hole Borer (PSHB) pest and Fusarium, the fungus carried by the pest. This article was referenced in the July 10<sup>th</sup> City Manager's Weekly Newsletter. Since that time, the Department of Public Works implemented a plan to acquire information about the level of pest infestation in public trees in the Arroyo Seco and street trees, including the development of a geographic information system-enabled (GIS) database and a smartphone application to geographically track tree survey information.

To gauge the level of infestation in the Arroyo Seco, the Department of Public Works is partnering with the Arroyo Seco Foundation (ASF). The Department coordinated three training sessions for ASF volunteers expressing interest in surveying the Arroyo Seco. To date, volunteers have inventoried one-quarter of the Arroyo Seco, including 1,154 reproductive host trees. Of the 1,154 trees inspected, 242 are exhibiting PSHB symptoms. The tree species with the greatest number of specimens showing signs of infestation are native oaks and sycamores. For additional detailed information on the (PSHB), I have attached a memorandum from Siobhan Foster, Director of Public Works.

#### 2. Sales Tax by Geographic Area:

The attached memorandum from Andrew Green, Director of Finance, provides a recap of the sales tax revenues received by the City in specific areas. The first table represents a quarter-by-quarter comparison for each of the last five quarters, while the second table represents the previous twelve-month cumulative total for each of the respective quarters. The sales tax information for Hastings Village and One Colorado represents a subset of the sales tax information for the Hastings Ranch and Old Pasadena areas.

*City Hall*

*100 N. Garfield Avenue, Room 229*

*Mailing Address: P.O. Box 7115 • Pasadena 91109-7215*

*(626) 744-6936 • Fax (626) 744-4774*

*[smermell@cityofpasadena.net](mailto:smermell@cityofpasadena.net)*

3. **Parks & Natural Resources – Tree Removal List:**

The attached list from Siobhan Foster, Director of Public Works, highlights pending removals of dead, dying and hazardous trees on a non-emergency basis throughout Pasadena, as well as trees recently removed on an emergency basis. The Parks & Natural Resources Division has posted the non-emergency removals and notified pertinent residents consistent with the City Tree Removal Policy.

Residents are encouraged to call the Parks & Natural Resources Division at (626) 744-7311 to learn more about the City tree maintenance and/or planting efforts or to report a problem with the urban forest.

*Season's Greetings,*



**STEVE MERMELL**  
Assistant City Manager

/attachments

**MEMORANDUM - CITY OF PASADENA**  
**DEPARTMENT OF PUBLIC WORKS**

**DATE:** December 22, 2014  
**TO:** Michael J. Beck, City Manager  
**FROM:** Siobhan Foster, Director of Public Works ~~✕~~  
**RE:** Polyphagous Shot Hole Borer (PSHB) – Update

---

On July 9, 2014 the Department Public Works provided a newsletter article (attached) regarding the impact of the Polyphagous Shot Hole Borer (PSHB) pest and Fusarium, the fungus carried by the pest. This article was referenced in the July 10, 2014 City Manager's Weekly Newsletter. Since that time, the Department of Public Works implemented a plan to acquire information about the level of pest infestation in public trees in the Arroyo Seco and street trees, including the development of a geographic information system-enabled (GIS) database and a smartphone application to geographically track tree survey information.

To gauge the level of infestation in the Arroyo Seco, the Department of Public Works is partnering with the Arroyo Seco Foundation (ASF). The Department coordinated three training sessions for ASF volunteers expressing interest in surveying the Arroyo Seco. To date, volunteers have inventoried one-quarter of the Arroyo Seco, including 1,154 reproductive host trees. Of the 1,154 trees inspected, 242 are exhibiting PSHB symptoms. The tree species with the greatest number of specimens showing signs of infestation are native oaks and sycamores.

The Department of Public Works has hired and trained temporary staff through the MASH Program to collect data on the 15,000 street trees that are reproductive hosts and 3,500 (23%) of these trees have been inspected to date. Signs of the PSHB have been identified on 13 trees and the Department has an additional 23 reports that are awaiting confirmation.

In addition to acquiring information about the level of infestation, the Department of Public Works has joined the newly established *Southern California Emerging Tree Pest Working Group*. Participation with this group allows the City to remain informed about the research being done by experts from the University of California Riverside, Huntington Botanical Gardens, and other Southern California jurisdictions working to curb the PSHB outbreak.

Based on guidance of the aforementioned experts, the Department is developing a strategy to address the infestation. This includes immediate removal of infested trees that pose an infestation risk to uninfected reproductive host plants or a public safety concern.

Once the survey is completed and the results are analyzed, the Department will assess the most prudent approach to reforestation. At this time the City is not replanting reproductive host trees.

The Department of Public Works presented information at the December 10, 2014 Urban Forestry Advisory Committee meeting. The presentation is posted on the City's website and can be accessed at [http://www.cityofpasadena.net/PublicWorks/PNR\\_News\\_Events/](http://www.cityofpasadena.net/PublicWorks/PNR_News_Events/). Updates will be provided to the Committee as additional information is acquired.

Information about the PSHB can also be found at <http://eskalenlab.ucr.edu/handouts/homeownerhandout.pdf> and [https://civr.ucr.edu/polyphagous\\_shot\\_hole\\_borer.html](https://civr.ucr.edu/polyphagous_shot_hole_borer.html).

Attachment

**MEMORANDUM - CITY OF PASADENA**  
**DEPARTMENT OF PUBLIC WORKS**

**DATE:** July 9, 2014

**TO:** Michael J. Beck, City Manager

**FROM:** Siobhan Foster, Director of Public Works

**RE:** Polyphagous Shot Hole Borer – Informational Presentation at Urban Forestry Advisory Committee Meeting, July 16, 2014 at 6:00 p.m.

---

The Polyphagous shot hole borer (PSHB) has been identified on public and private trees within the City of Pasadena. This insect attacks a variety of tree species by boring into the wood of a tree and depositing a fungus known as Fusarium, which will eventually kill the host tree. The Department of Public Works has been in communication with plant pathologists and scientists who are researching this insect and its impact on trees.

The Urban Forestry Advisory Committee (UFAC) will host a special meeting on July 16, 2014 on the PSHB. Representatives from the University of California Riverside Center for Invasive Species Research and The Huntington Botanical Gardens will present current research on PSHB and best management practices for removal and disposal of PSHB.

The UFAC meeting will begin at 6:00 p.m. at the Public Works City Yards Building located at 233 West Mountain Street, Room 210. All members of the community are encouraged to attend.

Additional information about the Fusarium disease and the Polyphagous Shot Hole Borer can be found at <http://eskalenlab.ucr.edu/handouts/homeownerhandout.pdf> and [https://civr.ucr.edu/polyphagous\\_shot\\_hole\\_borer.html](https://civr.ucr.edu/polyphagous_shot_hole_borer.html).

For additional information, please call the Parks & Natural Resources Division at (626) 744-7311.



December 23, 2014

**TO:** Michael Beck  
City Manager

**FROM:** Andrew Green *AGH*  
Director of Finance

**RE:** Sales Tax by Geographic Area

The tables below recap sales tax revenues received by the City in specific areas. The first table represents a quarter-by-quarter comparison for each of the last five quarters. The second table represents the previous twelve-month cumulative total for each of the respective quarters. The sales tax information for Hastings Village and One Colorado represents a subset of the sales tax information for the Hastings Ranch and Old Pasadena areas.

**ONE QUARTER ENDING**


Geo Area	6/30/2013	9/31/2013	12/31/2013	3/31/2014	6/30/2014
Old Pasadena	\$ 780,426	\$ 799,896	\$ 982,042	\$ 778,398	\$ 775,771
Hastings Ranch	727,626	724,453	878,011	692,487	746,270
South Lake	488,564	457,223	539,989	457,824	496,408
Northwest Pasadena	379,993	367,563	383,713	372,843	394,078
Hastings Village	382,327	384,666	492,115	362,187	397,019
Playhouse District	274,962	269,940	330,712	272,234	289,927
Paseo Colorado	242,096	216,128	275,996	204,170	227,837
One Colorado	116,974	128,090	143,697	101,234	111,747
S. Fair Oaks Survey	59,066	60,722	59,377	57,573	58,573
Rose Bowl	24,552	33,676	29,749	39,352	10,473
<b>Total in Geo Areas*</b>	<b>2,964,174</b>	<b>2,951,357</b>	<b>3,479,558</b>	<b>3,338,302</b>	<b>3,508,103</b>
<b>Total Not in Geo Areas</b>	<b>4,085,380</b>	<b>4,006,938</b>	<b>4,288,929</b>	<b>3,504,903</b>	<b>3,643,886</b>
<b>Citywide Total</b>	<b>7,049,554</b>	<b>6,958,295</b>	<b>7,768,487</b>	<b>6,843,205</b>	<b>7,151,989</b>

**CUMULATIVE 12 MONTHS ENDING FOR EACH RESPECTIVE QUARTER**


Geo Area	6/30/2013	9/31/2013	12/31/2013	3/31/2014	6/30/2014
Old Pasadena	\$ 3,291,180	\$ 3,327,842	\$ 3,362,403	\$ 3,340,762	\$ 3,336,107
Hastings Ranch	2,990,610	3,009,118	3,041,763	3,022,577	3,041,221
South Lake	1,948,575	1,951,828	1,933,335	1,943,600	1,951,444
Northwest Pasadena	1,511,277	1,501,325	1,497,712	1,504,112	1,518,197
Hastings Village	1,585,724	1,600,886	1,620,275	1,621,295	1,635,987
Playhouse District	1,136,133	1,137,321	1,148,143	1,147,848	1,162,813
Paseo Colorado	991,895	977,164	961,803	938,390	924,131
One Colorado	451,203	480,692	492,659	489,995	484,768
S. Fair Oaks Survey	232,982	233,785	237,719	236,738	236,245
Rose Bowl	119,811	106,440	108,415	127,329	113,250
<b>Total in Geo Areas*</b>	<b>12,253,747</b>	<b>12,295,429</b>	<b>12,332,834</b>	<b>12,733,391</b>	<b>13,277,320</b>
<b>Total Not in Geo Areas</b>	<b>16,162,310</b>	<b>16,216,023</b>	<b>16,298,278</b>	<b>15,886,150</b>	<b>15,444,656</b>
<b>Citywide Total</b>	<b>28,416,057</b>	<b>28,511,452</b>	<b>28,631,112</b>	<b>28,619,541</b>	<b>28,721,976</b>

\* Some areas are subsets of other areas and overlap with others. The Total in Geo Areas counts sales tax from each business once only.


### City of Pasadena Historical Geo Area Sales Tax by Quarter




### City of Pasadena Historical Geo Area Sales Tax by Quarter



### City of Pasadena Historical Geo Area Sales Tax by Benchmark Year



### City of Pasadena Historical Geo Area Sales Tax by Benchmark Year



The City receives retail sales tax information by sales tax permit number and not by location. If a business has more than one location within the City, the information is aggregated for all its locations and allocated by dividing the total sales tax revenue by the number of locations.

#### **Geo Area Highlights**

Six of the ten areas experienced increases in second quarter 2014 sales tax performance compared to the same quarter of the previous year. *South Lake* grew by 2.5 percent, led by department stores and home furnishings. *Hastings Village* experienced growth of 3.9 percent from Nordstrom Rack, Chick's Sporting Goods, and Tilly's. *Northwest Pasadena* experienced growth of 3 percent primarily from service stations and food stores. *South Fair Oaks* experienced a 2.3 percent increase due in part to a gain at the hospital. *Playhouse District* experienced a gain of 5.1 percent led by restaurants and office supplies. *Hastings Ranch* increased 2.4 percent this quarter due to home furnishings and restaurants.

The remaining four areas saw declines in the same time comparison. *Paseo Colorado* fell by 4.2 percent due to a closure of a supermarket and overall softer retail sales. *One Colorado* experienced a decline of 10.2 percent due in part to department stores, apparel stores, and supermarkets. *Old Pasadena* dropped 1.8 percent in part to a decline at Apple (product availability is no longer exclusive to their stores only), Barnes & Noble bookstore, and restaurants. *Rose Bowl* declined 58.5 percent due to one-time RV sales in the same quarter of the previous year.

#### **Citywide Highlights**

Total quarterly cash receipts for second quarter 2014 compared to second quarter 2013 were up 3.1 percent. For the second quarter, sales increased in Food Products by 4.7 percent; Transportation increased by 6.6 percent; and Construction increased by 5.5 percent. Sales and use tax revenue declined in General Retail by .08 percent and Business to Business declined by 6.1 percent. The South Coast region's sales tax for the same period increased by 2.0 percent. In Pasadena, increases came in New Auto Sales, up 15 percent; Building Materials Retail up 6.6 percent; Leasing up 8.2 percent; and Restaurants up 5.4 percent. Comparatively, in the South Coast region, gains came in New Auto Sales, up 8.5 percent; Leasing, up 12.8 percent; and Building Materials Wholesale, up 9.5 percent.

News

- Major Online Retailers expect sales to grow by anywhere from 1% to 15% in the coming holiday season, putting additional pressure on Brick and Mortar stores. Favorable credit terms and stable fuel prices have sustained growth in New Auto Sales, which is expected to increase 6.9% for 2014.
- When adjusted for inflation, U.S. expenditures for goods and services increased by 1.8% during the last 12 months compared to 2.24% during the same period a year ago, signaling that overall growth rates for Sales Tax Revenue may not be quite as high in the coming year.

Top 25 Sales Tax Generators

New to Top 25 \*

APPLE STORES	HONDA OF PASADENA	SYMES TOYOTA
ARCO AM/PM MINI MARTS *	MACY'S DEPARTMENT STORE	TARGET STORES
AUDI LEASING BENTLEY LEASING	NORDSTROM RACK	THE LANGHAM HUNTINGTON HOTEL
AVON PRODUCTS	PACIFIC SALES	THORSON MOTOR CENTER
BED BATH & BEYOND	ROSS STORES	TIFFANY & COMPANY *
BEST BUY STORES	RUSNAK JAGUAR	TRANS OCEAN MOTORS VOLKSWAGEN
CA INSTITUTE OF TECHNOLOGY	SEARS ROEBUCK & COMPANY	VONS GROCERY COMPANY
ENTERPRISE RENT-A-CAR	SYMES CADILLAC	WHOLE FOODS MARKET
GANAHL LUMBER		

Business Activity

Apr'13 - Jun'13 to Apr'14 - Jun'14


Jul'12 - Jun'13 to Jul'13 - Jun'14

	Pasadena	South Coast	Statewide	Pasadena	South Coast	Statewide
<b>Total</b>	<b>1.7%</b>	<b>4.2%</b>	<b>4.4%</b>	<b>1.3%</b>	<b>3.2%</b>	<b>3.6%</b>
<b>General Retail</b>	<b>-0.8%</b>	2.9%	3.3%	<b>-0.8%</b>	1.5%	2.0%
<b>Food Products</b>	<b>4.7%</b>	5.3%	5.2%	<b>4.9%</b>	4.6%	5.0%
<b>Transportation</b>	<b>6.6%</b>	4.8%	5.0%	<b>4.2%</b>	3.7%	4.4%
<b>Construction</b>	<b>5.5%</b>	4.2%	4.4%	<b>11.9%</b>	3.2%	5.1%
<b>Business To Business</b>	<b>-6.1%</b>	4.7%	4.9%	<b>-6.7%</b>	3.4%	3.4%
Restaurants	5.4%	5.7%	5.7%	5.9%	5.5%	6.0%
Auto Sales - New	15.0%	8.5%	7.7%	13.6%	9.5%	9.7%
Miscellaneous Retail	-4.8%	1.5%	3.3%	-0.1%	2.4%	3.5%
Apparel Stores	2.5%	5.7%	6.3%	3.9%	3.7%	4.0%
Department Stores	0.3%	2.1%	2.6%	-6.1%	-0.2%	0.1%
Furniture/Appliance	0.3%	5.1%	3.4%	-2.4%	2.7%	3.1%
Chemical Products	-23.6%	7.8%	7.5%	-18.8%	2.2%	2.8%
Service Stations	1.6%	2.3%	3.2%	-2.6%	-2.2%	-1.2%
Food Markets	2.4%	4.0%	3.1%	1.1%	1.6%	1.7%
Leasing	8.2%	12.8%	13.5%	9.0%	10.3%	10.0%
Bldg.Matls-Retail	6.6%	-0.3%	0.1%	10.1%	2.0%	2.5%
Auto Parts/Repair	-1.2%	1.4%	1.2%	1.2%	2.5%	2.2%
Bldg.Matls-Whsle	4.0%	9.5%	8.7%	14.1%	4.5%	7.6%
Recreation Products	-2.2%	-1.5%	-2.7%	-0.5%	-1.0%	-1.3%


# Sales Tax Per Capita

by Benchmark Year

City Of Pasadena'S Annualized Sales Tax Divided By Its Population As Reported By State Department Of Finance



Comparing Annualized Employment and Gross Sales Tax Per Capita by Benchmark Year



A Correlation Coefficient of 1 indicates a Perfect Positive Correlation.

Correlation Coefficient: **0.85**

**Master Tree Removal List**  
List as of 12/22/14

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
407	BELLMORE WAY	F	7	CALIFORNIA BAY (UMCA)	37	"	1	99% DEAD. BUTTRESS CAVITY AND DECAY. TERMITES, BORERS, TOPPING CUTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2115	BRIGDEN RD	F	2	COAST LIVE OAK (QUAG)	34	"	2	75% DEAD. BARK LOSS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
545	DEL MONTE ST	F	1	JACARANDA (JAMI)	25	"	1	DEAD PARKWAY TREE. CONKS. DECAYED SCAFFOLD WOUNDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
153	N. OAK KNOLL AVE	F	2	ITALIAN CYPRESS (CUSE)	16	"	3	SUPERFICIAL SPLITTING IN TRUNK WITH BORERS. COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
482	DEL MONTE ST	F	1	JACARANDA (JAMI)	14	"	1	DEAD PARKWAY TREE. NO TRUNK TAPER. PEELING BARK. SUPERFICIAL SPLITTING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1615	ROSE VILLA ST	S	4	COAST LIVE OAK (QUAG)	6	"	7	BOTTLENECK TRUNK. WOOD BORERS. POOR TRUNK TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1097	RIO GRANDE ST	F	1	INCENSE CEDAR (CADE)	5	"	2	DEAD PARKWAY TREE WITH A BURIED ROOT CROWN. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
972	E CALIFORNIA BLVD	F	2	COAST LIVE OAK (QUAG)	18	"	7	FUNGUS. SCAFFOLD DECAY. TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
711	LINDA VISTA AVE	F	1	SIBERIAN ELM (ULPU)	15	"	6	GRADE CHANGE AND SOIL DISTURBANCE IN PARKWAY. 99% DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
628	S MENTOR AVE	F	1	MESA OAK (QUEN)	7	"	7	WOOD ROT DUE TO EXCESSIVE IRRIGATION TO TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
903	SUNSET AVE	S	2	SILVER DOLLAR GUM (EUPO)	2	"	3	DEAD PARKWAY TREE. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2574	E VILLA ST	S	1	CAROB (CESI)	25	"	4	HEARTWOOD DECAY. MULTIPLE CAVITIES THROUGHOUT TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1805	BELMONT AVE	S	4	SIBERIAN ELM (ULPU)	16	"	1	GIRDLED ROOTS. NO CANOPY STRUCTURE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
1180	LINCOLN AVE	S	3	JACARANDA (JAMI)	12	"	1	COMPACTED SOIL. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
624	W HOWARD ST	F	2	CHINESE FLAME TREE (KOBI)	3	"	1	POOR TRUNK TAPER. SUPERFICIAL SPLITTING IN LOWER TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1330	LIDA LN	F	1	CHINESE PISTACHE (PICH)	3	"	6	MECHANICAL TRUNK WOUND. BORERS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
150	E COLORADO BLVD	F	8	MAIDENHAIR TREE (GIBI)	2	"	6	DEAD PARKWAY TREE. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1671	N MADISON AVE	F	2	APPLE TREE (MADO)	18	"	1	DEAD PARKWAY TREE WITH SPLITTING SCAFFOLDS AND BORERS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1135	MEDFORD RD	F	1	SILVER MAPLE (ACSA)	15	"	4	CAVITIES, DECAYED SCAFFOLD TIPS AND STUBS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
621	S MARENGO AVE	F	1	TULIP TREE (LITU)	10	"	6	INCOMPLETE AND POOR PRUNING CUTS. STUBS. ALL LOWER SCAFFOLDS HAVE BEEN REMOVED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
400	S LOS ROBLES AVE	F	3	LIVE OAK (QUAG)	6	"	6	DEAD TREE IS LEANING STREETSIDE. SCAFFOLDS AND BRANCHES SUFFERING MECHANICAL DAMAGE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
466	ALPINE ST	F	2	SOUTHERN MAGNOLIA	17	"	7	99% DEAD. ROOT PRUNED FOR DRIVEWAY REPAIR. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
401	E CLAREMONT ST	F	1	BOTTLE TREE (BRPO)	17	"	3	CROWN REDUCED FOR LINE CLEARANCE. DECAYING SCAFFOLD AND BRANCH TIPS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
292	E MONTANA ST	F	1	BOTTLE TREE (BRPO)	12	"	5	DEAD PARKWAY TREE. CROWN REDUCED. SCAFFOLD DECAY. SPLITTING BARK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
408	E CLAREMONT ST	F	2	WINDMILL PALM (TRFO)	3	"	3	NO EXTERIOR VISIBLE DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1501	E VILLA ST	S	1	SILVER MAPLE (ACSA)	35	"	2	HEART ROT. BUTTRESS AND SCAFFOLD DECAY. COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1713	GLEN AVE	F	1	CAROB (CESI)	26	"	1	99% DEAD WITH CAVITIES, CONKS, AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH	"	DISTRICT	CONDITION	COMMENT/ACTION
284	E MONTANA ST	F	1	BOTTLE TREE (BRPO)	17	"	1	DEAD TREE. SPLITTING BARK. LINE CLEARED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
950	N FAIR OAKS AVE	F	1	CARROTWOOD (CUAN)	16	"	3	DEAD PARKWAY TREE. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
659	RIO GRANDE ST	S	1	INCENSE CEDAR (CADE)	15	"	5	NUTRIENT DEFICIENT. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
659	RIO GRANDE ST	S	2	INCENSE CEDAR (CADE)	33	"	5	NUTRIENT DEFICIENT. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1260	S ARROYO BLVD	S	3	HOLLY OAK (QUIL)	12	"	6	99% DEAD. SHRUB GROWTH IN ROOT ZONE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1687	E COLORADO BLVD	F	2	LAVENDER BLOOM (TAAV)	5	"	2	POOR TRUNK TAPER. SMALL TRUNK WOUND. COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
985	N RAYMOND AVE	F	1	WINDMILL PALM (TRFO)	4	"	3	DEAD TREE EXHIBITS NO EXTERIOR CAUSAL AGENTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
929	CHAPMAN AVE	S	4	SILVER DOLLAR GUM (EUPO)	2	"	3	NUTRIENT DEFICIENT DUE TO DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1331	N HUDSON AVE	S	3	VICTORIAN BOX (PIUN)	1	"	5	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2653	E VILLA ST	F	2	CAROB (CESI)	39	"	4	SPARSE CANOPY. TERMITES. CONKS. HEART ROT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
985	E CLAREMONT ST	F	2	LIVE OAK (QUAG)	27	"	2	GIRDLING. SURFACE ROOTS. BORERS. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2665	E VILLA ST	F	1	CAROB (CESI)	25	"	4	CHLOROTIC (YELLOWING DUE TO LACK OF CHLOROPHYLL) FOLIAGE. DE-BRUSHED SCAFFOLD OVER DRIVEWAY. CONKS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1060	NITHSDALE RD	S	2	CHINESE ELM (ULPA)	21	"	6	THE REMOVAL OF THE PRIMARY LEADER IS REQUIRED. A POOR CANOPY STRUCTURE OF HORIZONTAL SCAFFOLDS WILL REMAIN. TREE IS BEYOND REPAIR. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
1052	NITHSDALE RD	F	1	CHINESE ELM (ULPA)	20	"	6	APPROXIMATELY 60% OF CANOPY HAS BEEN LOST OF NUMEROUS SCAFFOLD FAILURES. REMAINING SCAFFOLDS ARE STUBS PRODUCING SUCKER GROWTH. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
280	N OAK AVE	F	2	CHINESE ELM (ULPA)	19	"	2	SCAFFOLD TEARDOWN FAILURE. TREE IS BEYOND REPAIR. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
475	CASTANO AVE	F	1	CHINESE ELM (ULPA)	19	"	4	DEAD PARKWAY TREE. SCAFFOLD STUB. SUPERFICIAL SPLITTING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1049	E CLAREMONT ST	F	1	HOLLY OAK (QUIL)	13	"	2	DEAD PARKWAY TREE. CONKS. WOUNDED BUTTRESS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
214	SIERRA VIEW RD	F	1	CHINESE ELM (ULPA)	13	"	6	FOLLOW-UP INSPECTION. LEAN HAS SLIGHTLY INCREASED. LARGE AIR POCKET BETWEEN THE SOIL AND TURF. SOIL IS EXTREMELY MOIST. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1245	N CATALINA AVE	F	1	LIVE OAK (QUAG)	4	"	2	CHECKERED BARK. GIRDLING ROOTS. POOR TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
757	S OAK KNOLL AVE	F	2	LIVE OAK (QUAG)	15	"	7	TREE HAS BEEN TOPPED IN THE PAST. A POOR SCAFFOLD STRUCTURE HAS DEVELOPED WITH INCLUDED BARK CREATING A HIGH RISK FOR FAILURE. THERE ARE MULTIPLE ATTACHMENTS AND CODOMINANT BRANCHES. APPEARANCE OF TRUNK IS REPRESENTATIVE OF POOR QUALITY STOCK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2087	CASA GRANDE ST	S	1	CORK OAK	7	"	2	BOTTLENECK TRUNK. POOR SCAFFOLD STRUCTURE. TREE IS OF POOR QUALITY STOCK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1365	E COLORADO BLVD	F	3	LAVENDER BLOOM (TAAV)	6	"	2	DEAD TREE HAS SUFFERED FROM DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
300	MANFORD WAY	F	4	ITALIAN CYPRESS (CUSE)	2	"	6	SPLITTING IN TRUNK. POOR TAPER. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
300	MANFORD WAY	F	8	ITALIAN CYPRESS (CUSE)	11	"	6	DEAD PARKWAY TREE BELOW CANOPY OF ADJACENT TREE. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
275	PALMETTO DR	F	1	CAMPHOR TREE (CICA)	25	"	6	99% DEAD. SCAFFOLD AND BRANCH DECAY. ROOT PRUNED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1616	N LOS ROBLES AVE	S	4	CAMPHOR TREE (CICA)	21	"	1	99% DEAD. ROOT PRUNED. TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
714	W CALIFORNIA BLVD	F	3	CAMPHOR TREE (CICA)	16	"	6	99% DEAD. TERMITES. TREE NOT HEALING PROPERLY FROM WOUND. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1415	EL SERENO AVE	F	2	BOTTLE TREE (BRPO)	14	"	1	CROWN REDUCED FOR LINE CLEARANCE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
585	E HOWARD ST	F	2	CAMPHOR TREE (CICA)	13	"	1	IVY THROUGHOUT ROOT ZONE AND OVER LOWER TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1510	N MARENGO AVE	F	4	LIVE OAK (QUAG)	5	"	1	TREE IS DIRECTLY BENEATH CANOPY OF PRIVATE TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1900	LUNDY AVE	F	2	ITALIAN CYPRESS (CUSE)	69	"	1	50% DEAD. TERMITES. BORERS. HEART ROT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
287	STANTON ST	F	1	SOUTHERN MAGNOLIA (MAGR)	21	"	1	EXCESSIVELY PRUNED FOR LINE CLEARANCE. CAVITIES WITH TERMITE SIGNS ON TWO SIDES OF TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
634	PALISADE ST	F	1	SOUTHERN MAGNOLIA (MAGR)	9	"	1	DROUGHT STRESSED CONDITIONS. NUTRIENT DEFICIENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
215	N MARENGO AVE	F	8	CARROTWOOD (CUAN)	7	"	3	ROOT PRUNED. RECENT SITE CONSTRUCTION. GRADE CHANGE. SOIL DISTURBANCE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
515	S HUDSON AVE	F	1	LIVE OAK (QUAG)	5	"	7	POOR TAPER. SPLITTING BARK. COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S MARENGO AVE	F	17	TULIP TREE (LITU)	4	"	7	MECHANICAL TRUNK WOUNDS. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2185	WOODLYN RD	F	2	LIVE OAK (QUAG)	28	"	4	TREE HAS SUFFERED MAJOR WINDSTORM DAMAGE. LARGE SCAFFOLD STUB WITH SPROUTS. SUPERFICIAL SPLITTING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
925	S LOS ROBLES AVE	F	1	LIVE OAK (QUAG)	22	"	7	BRANCH AND SCAFFOLD TIP DECAY. CROWN REDUCED FOR LINE CLEARANCE. ROOT PRUNED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2306	WOODLYN RD	F	1	SOUTHERN MAGNOLIA (MAGR)	15	"	4	COMPLETELY DEAD WITH GIRDLING ROOTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
565	DEL MONTE ST	F	1	JACARANDA (JAMI)	14	"	1	DEAD TREE. CONKS AT BUTTRESS. NUTRIENT DEFICIENT. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1160	ROSE AVE	F	1	CORK OAK (QUSU)	13	"	4	BOTTLENECKED TRUNK. POOR SCAFFOLD STRUCTURE. TREE IS OF POOR QUALITY STOCK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3000	E ORANGE GROVE BLVD	S	3	AMERICAN SWEETGUM (LIRO)	13	"	5	99% DEAD. ROOT PRUNED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1155	E DEL MAR BLVD	F	2	HOLLY OAK (QUIL)	3	"	7	EXCESSIVE TURF GROWTH OVER LOWER TRUNK. POOR TRUNK TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
691	S MARENGO AVE	F	1	TULIP TREE (LITU)	2	"	6	DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
603	N MENTOR AVE	F	2	BLACK ACACIA (ACME)	14	"	5	TREE NUTRIENT DEFICIENT. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
351	CALIFORNIA TER	S	3	TULIP TREE (LITU)	12	"	6	NUTRIENT DEFICIENT. TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
351	CALIFORNIA TER	S	4	TULIP TREE (LITU)	11	"	6	NO TRUNK FLARE. NUTRIENT DEFICIENT. DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
595	N WILSON AVE	S	2	SILVER MAPLE (ACSA)	2	"	5	MECHANICAL DAMAGE AT BUTTRESS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1955	GLEN AVE	F	1	CAROB (CESI)	26	"	1	20% HEART ROT. CAVITY AT BUTTRESS. TERMITES. SPLITS ARE DEVELOPING IN TRUNK AND SCAFFOLDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2121	LOMA VISTA ST	F	2	WHITE ALDER (ALRH)	17	"	2	BARK LOSS. DECAY AND SUPERFICIAL SPLITTING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1484	FOREST AVE	S	1	JACARANDA (JAMI)	15	"	1	CONKS AND PEELING BARK. DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
1490	LAS LUNAS ST	S	1	CORK OAK (QUSU)	13	"	2	PARTIALLY BELOW CANOPY OF ADJACENT TREE. BOTTLENECKED TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
325	S OAK KNOLL AVE	F	15	LIVE OAK (QUAG)	13	"	7	DEAD PARKWAY TREE. WOOD BORERS, PEELING BARK, DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2691	E ORANGE GROVE BLVD	R	1	LIVE OAK (QUAG)	9	"	5	SUFFERING FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2373	DUDLEY ST	F	1	SAWTOOTH ZELKOVA (ZESE)	6	"	4	50% OF CANOPY LOST FROM RECENT SCAFFOLD FAILURE. TREE IS BEYOND REPAIR. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
120	E. ORANGE GROVE BLVD	F	1	LIVE OAK (QUAG)	5	"	5	VANDALIZED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
412	N WILSON AVE	F	1	BRISBANE BOX (LOCO)	5	"	5	WINDSTORM DAMAGED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
276	PARKE ST	F	2	PURPLE-LEAF PLUM (PRCE)	4	"	5	MULTIPLE SCAFFOLDS WITH VERTICAL SPLITS. SUPERFICIAL TRUNK SPLITS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1216	E ORANGE GROVE BLVD	S	1	CAMPHOR TREE (CICA)	28	"	5	DEAD TREE HAS BEEN ROOT PRUNED FOR SIDEWALK REPAIR. GIRDLING ROOT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1150	REXFORD AVE	F	1	INDIAN LAUREL FIG (FIMINI)	25	"	4	GAS LEAK IN ROOT ZONE. 80% DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2783	EATON CANYON DR (CIVIL DEFENSE)	N/A	N/A	CANARY ISLAND PINE (PICA)	25	"	4	BARK BEETLE INFECTED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2783	EATON CANYON DR (CIVIL DEFENSE)	N/A	N/A	ARROYO WILLOW (SALA)	15	"	4	DEAD TREE IS SPLITTING IN CROTCH AND MULTIPLE SCAFFOLDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
842	E HOWARD ST	F	1	CAMPHOR TREE (CICA)	24	"	5	ROOT PRUNED. BRANCH AND SCAFFOLD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1444	WICKS RD	F	2	CHINESE ELM (ULPA)	14	"	6	DEAD TREE WITH BORERS IN TRUNK AND SCAFFOLDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3700	DENAIR ST	S	1	SIBERIAN ELM (ULPU)	8	"	4	NO CANOPY STRUCTURE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3700	DENAIR ST	S	13	SIBERIAN ELM (ULPU)	18	"	4	WINDSTORM RELATED WOUNDS, CAVITIES, DECAY AND TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
1539	E HOWARD ST	F	3	CAMPHOR TREE (CICA)	7	"	2	DEAD PARKWAY TREE WITH TRUNK WOUND AND MINOR HEARTWOOD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
165	S DELACEY AVE	S	2	LAVENDER BLOOM (TAAV)	6	"	6	BOWED OVER PARKING LANE. MECHANICAL SCAFFOLD AND TRUNK WOUNDS. SUPERFICIAL SPLITTING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1033	KIRKWOOD AVE	F	1	MESA OAK (QUEN)	6	"	3	MECHANICAL DAMAGE TO CIRCUMFERENCE OF LOWER TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
210	S DELACEY AVE	S	3	LAVENDER BLOOM (TAAV)	6	"	6	MECHANICAL DAMAGE TO TRUNK AND SCAFFOLDS. TREE IS BOWED OVER PARKING LANE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
700	E WASHINGTON BLVD (WASHINGTON PARK)	N/A	N/A	MIMOSA (ALJU)	13	"	5	PEELING BARK. 90% DEAD. BORERS. TRUNK AND SCAFFOLD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
700	E WASHINGTON BLVD (WASHINGTON PARK)	N/A	N/A	MIMOSA (ALJU)	10	"	5	SEVERE BARK LOSS WITH HARDWOOD DECAY, BORERS AND TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
382	DOUGLAS ST	F	2	COAST REDWOOD (SESE)	44	"	3	BUTTRESS DECAY WITH GIRDLING ROOTS AND TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2550	E VILLA ST	F	1	CAROB (CESI)	41	"	4	CHLOROTIC (YELLOWING DUE TO LACK OF CHLOROPHYLL) FOLIAGE. CONKS, TERMITES AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2699	PALOMA ST	F	3	LIVE OAK (QUAG)	37	"	4	60% OF CANOPY IS DEAD. SCAFFOLD DECAY AND CARPENTER ANTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
830	OAK KNOLL CIR	S	1	ITALIAN CYPRESS (CUSE)	25	"	7	DEAD TREE AND WOOD BORERS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
137	N OAK KNOLL AVE	F	2	ITALIAN CYPRESS (CUSE)	22	"	3	OVERCROWDED DEAD PARKWAY TREE WITH SUPERFICIAL SPLITTING AND BORERS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
896	GLEN OAKS BLVD	R	2	SIBERIAN ELM (ULPU)	18	"	6	DEAD PARKWAY TREE. STUBS, BORERS AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
920	SUMMIT AVE	S	2	LIVE OAK (QUAG)	6	"	3	DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
397	DOUGLAS ST	F	3	GRAPE MYRTLE (LAIN)	2	"	3	DEAD TREE IS SPLITTING VERTICALLY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH		DISTRICT	CONDITION	COMMENT/ACTION
696	ATCHISON ST	F	1	CAMPHOR TREE (CICA)	24	"	1	99% DEAD. DROUGHT STRESSED. GIRDLED ROOTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
520	E ORANGE GROVE BLVD	F	1	LIVE OAK (QUAG)	18	"	3	DEAD PARKWAY TREE. ROOT GIRDLED AND NUTRIENT DEFICIENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1155	E DEL MAR BLVD	F	1	HOLLY OAK (QUIL)	17	"	7	STREETSIDE MECHANICAL DAMAGE. EXCESSIVE IRRIGATION IN ROOT ZONE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
640	S LAKE AVE	F	2	LIVE OAK (QUAG)	16	"	7	BORERS, TRUNK WOUND WITH DECAY AND MECHANICAL SCAFFOLD DAMAGE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
701	S LAKE AVE	F	4	LIVE OAK (QUAG)	13	"	7	DEAD PARKWAY TREE. NO TRUNK FLARE WITH SUPERFICIAL SPLITTING AT INCLUDED BARK ATTACHMENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
652	S LAKE AVE	F	1	HOLLY OAK (QUIL)	12	"	7	DEAD PARKWAY TREE. EXCESSIVE IRRIGATION IN ROOT ZONE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
180	N SAN GABRIEL BLVD	F	1	BRONZE LOQUAT (ERDE)	7	"	4	MECHANICAL DAMAGE TO STREETSIDE SCAFFOLDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
180	N SAN GABRIEL BLVD	F	8	BRONZE LOQUAT (ERDE)	7	"	4	DEAD TREE BELOW CANOPY OF ADJACENT TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
525	E CLAREMONT ST	F	1	WINDMILL PALM (TRFO)	5	"	3	DEAD PARKWAY TREE. NO VISIBLE EXTERIOR DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
710	PINEHURST DR	F	1	SHAMEL ASH (FRUH)	36	"	7	SPLITTING SCAFFOLDS WITH LOOSE, CRACKED AND PEELING BARK. WEAKLY ATTACHED BRANCHES DUE TO PREVIOUS TOPPING CUTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
250	N VINEDO AVE	F	1	SAWTOOTH ZELKOVA (ZESE)	13	"	4	90% OF TRUNK BARK HAS PEELED OFF. FUNGUS AT BUTTRESS WITH WOOD BORERS. TREE IS IN POOR CONDITION. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3700	DENAIR ST	F	3	SOUTHERN MAGNOLIA (MAGR)	10	"	4	DEAD TREE WITH SMALL TRUNK CAVITY AND MINOR DECAY. DROUGHT STRESSED CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	ADDRESS	SITES		SPECIES	DBH	DISTRICT	CONDITION	COMMENT/ACTION	
1850	WALWORTH AVE	F	2	LIVE OAK (QUAG)	3	"	1	NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1025	ARDEN RD	S	4	MESA OAK (QUEN)	2	"	7	DEAD TREE IS RECEIVING POOR SUN EXPOSURE DUE TO SURROUNDING TREE CANOPIES. SITE WILL NOT BE REPLANTED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1344	S MARENGO AVE	F	1	BRISBANE BOX (LOCO)	16	"	7	DROUGHT STRESSED. NUTRIENT DEFICIENT. OVERCROWDED. REMOVAL OF DEAD TREE RECOMMENDED.	TREE REMOVAL PENDING
48	S PARKWOOD AVE	F	2	BRISBANE BOX (LOCO)	4	"	7	DEAD PARKWAY TREE. WEEDWACKER DAMAGE TO LOWER TRUNK WITH UNNATURAL LEAN. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING