

**Forestry Operation
Master Tree Removal List
Oct-16**

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
2301	N. ARROYO BLVD (W. WOODBURY ONRAMP)	N	A	PECAN (CAIL)	13	" 1	DEAD TREE. VERTICALLY SPLITTING, BORERS, EXFOLIATING BARK. IMMEDIATE REMOVAL RECOMMENDED.	EMERGENCY REMOVAL
1687	E. COLORADO BLVD	F	1	LAVENDAR BLOOM (TAAV)	4	" 2	DEAD TREE HAS SUFFERED ROOT BREAKAGE AND IS UNSTABLE. IMMEDIATE REMOVAL RECOMMENDED.	EMERGENCY REMOVAL
1161	N.GARFIELD AVE	F	1	CAMPHOR TREE (CICA)	27	" 3	99% DEAD. DROUGHT STRESSED, SCAFFOLD CAVITY WITH DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
981	SECO ST (ON HILLSIDE)	N	A	SUGAR GUM (EUCL)	42	" 1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS, NON-PSHB INSECT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1425	E. MOUNTAIN ST (ON N. HILL AVE)	S	5	LIVE OAK (QUAG)	22	" 2	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1344	S.MARENGO AVE	F	1	BRISBANE BOX (LOCO)	1	" 7	DEAD TREE. NO TRUNK TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
884	OLD MILL ROAD (ON STAITS)	S	2	JACARANDA (JAMI)	10	" 7	DEAD TREE. SMALL TRUNK CAVITY WITH TERMITES AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
N/A	ARROYO SECO	P	1	WESTERN SYCAMORE (PLRA)	28	" 6	DEAD TREE. PSHB INFECTED, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
N/A	ARROYO SECO	P	2	MOCK ORANGE (PITO)	18	" 6	DEAD TREE IS BARK BEETLE INFECTED.	TREE REMOVAL PENDING
N/A	ARROYO CHALLENGE COURSE	P	1	WESTERN SYCAMORE (PLRA)	45	" 3	DEAD TREE. PSHB INFECTED, SCAFFOLD AND TRUNK DECAY, TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
N/A	ARROYO CHALLENGE COURSE	P	2	WESTERN SYCAMORE (PLRA)	68	" 3	DEAD TREE. PSHB INFECTED, SCAFFOLD DECAY, TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
617	ARBOR ST	F	1	TULIP TREE (LITU)	20	" 6	DEAD TREE. DROUGHT STRESSED, SCAFFOLD DECAY, TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
868	PALO VERDE AVE	F	1	SOUTHERN MAGNOLIA (MAGR)	13	" 2	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
2445	E. DEL MAR BLVD.	F	2	LIVE OAK (QUAG)	1	" 4	DEAD TREE. NON-PSHB INSECT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
858	PALO VERDE AVE	F	1	SOUTHERN MAGNOLIA (MAGR)	12	" 2	DEAD TREE. DROUGHT STRESSED, BASE OF TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1785	N. GARFIELD AVE	F	1	ENGLISH WALNUT (JURE)	18	" 1	DEAD TREE. ROCKS COMPACTING SOIL IN ROOT ZONE, BLEEDING FROM NON-PSHB INSECT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1725	N. LOS ROBLES AVE	F	1	CAMPHOR TREE (CICA)	23	" 1	DEAD TREE. ROOT PRUNED, ROOT ROT, ROOT DECAY, CAVITY WITH TERMITES AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1717	N. LOS ROBLES AVE	F	2	CAMPHOR TREE (CICA)	20	" 1	ROOT ROT, ROOT DECAY, ROOT PRUNED, TERMITES, CANOPY REDUCED OVER TIME TO PRESERVE TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1320	SUMMIT AVE	F	2	CALIFORNIA FAN PALM (WAFI)	24	" 3	DEAD PALM TREE WITH TRUNK WOUNDS AND WEED WACKER DAMAGE.	TREE REMOVAL PENDING
983	OLD MILL ROAD	F	1	SOUTHERN MAGNOLIA (MAGR)	30	" 7	90% DEAD. ROOT PRUNED, ROOT ROT, CONKS, REMOVAL, RECOMMENDED.	TREE REMOVAL PENDING
298	PLEASANT ST	F	1	CAMPHOR TREE (CICA)	39	" 6	DEAD TREE. DROUGHT STRESSED, EXFOLIATING BARK, MECHANICAL DAMAGE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1728	LAS LUNAS ST	F	2	CANARY ISLAND DATE PALM (PHCA)	27	" 2	TRUNK OF PALM IS BOWED JUST BELOW CROWN. THERE ARE MULTIPLE CAVITIES BENEATH BOW. POTENTIAL FOR CROWN FAILURE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
230	S. ARROYO BL	F	1	LIVE OAK (QUAG)	26	" 6	20% HEART ROT AT TRUNK CAVITY. TRUNK IS HOLLOW 10 FT FROM SOIL, ROCKS IN ROOT ZONE, EXCESSIVE IRRIGATION, GOLD SPOTTED BORER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1350	LINDA VISTA AVE	F	1	SIBERIAN ELM (ULPU)	21	" 6	STRUCK BY VEHICLE, UNNATURAL LEAN OVER STREET, ROOTS BROKEN, SOIL HEAVING. IMMEDIATE REMOVAL RECOMMENDED.	EMERGENCY REMOVAL
400	S. HILL AVE	F	2	LIVE OAK (QUAG)	5	" 7	DEAD TREE IS SPLITTING VERTICALLY. IMMEDIATE REMOVAL RECOMMENDED.	EMERGENCY REMOVAL

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
580	N. MENTOR AVE	S	1	SILVER MAPLE (ACSA)	18 "	5	DEAD TREE. CONKS AT BUTTRESS AND IN ROOT ZONE, ROOT ROT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
965	EMERSON ST	F	1	SILVER MAPLE (ACSA)	20 "	5	99% DEAD. SUPERFICIAL SPLITS, CONKS, TERMITES, SCAFFOLD DECAY, ROOT ROT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
980	EMERSON ST	F	1	SILVER MAPLE (ACSA)	32 "	5	99% DEAD. CONKS AT BUTTRESS, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
971	EMERSON ST	F	2	SILVER MAPLE (ACSA)	12 "	5	99% DEAD. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3150	BRANDON ST	F	2	INCENSE CEDAR (CADE)	6 "	4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3186	BRANDON ST	F	1	INCENSE CEDAR (CADE)	13 "	4	PRIMARY LEADERS ARE DEAD. TREE IS IN IRREVERSIBLE DECLINE AND BEYND CORRECTIVE PRUNING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3194	BRANDON ST	F	1	INCENSE CEDAR (CADE)	18 "	4	99% DEAD. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3140	BRANDON ST	F	3	INCENSE CEDAR (CADE)	21 "	4	99% DEAD. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MENTONE AVE	F	4	JACARANDA (JAMI)	14 "	1	DEAD TREE. DROUGHT STRESSED, COMPACT SOIL, TRUNK WOUNDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MENTONE AVE	F	3	JACARANDA (JAMI)	17 "	1	DEAD TREE. DROUGHT STRESSED, COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MENTONE AVE	F	2	JACARANDA (JAMI)	13 "	1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS IN COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MENTONE AVE	F	1	JACARANDA (JAMI)	29 "	1	DEAD TREE. TERMITES, TRUNK WOUND, DECAY, CAVITIES, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1101	S. MENTONE AVE	F	7	JACARANDA (JAMI)	13 "	1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS IN COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
1101	S. MENTONE AVE	F	6	JACARANDA (JAMI)	7	" 1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS IN COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1101	S. MENTONE AVE	F	5	JACARANDA (JAMI)	19	" 1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS IN COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
750	S. MARENGO AVE	F	1	TULIP TREE (LITU)	13	" 6	DEAD TREE. ROOT ROT, ROOT GIRDLE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
681	S. MARENGO AVE	F	1	TULIP TREE (LITU)	17	" 6	DEAD TREE. ROOT PRUNED, ROOT GIRDLE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
645	S. MARENGO AVE	F	1	TULIP TREE (LITU)	12	" 6	DEAD TREE. TERMITES, TRUNK AND SCAFFOLD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	7	CARROTWOOD (CUAN)	14	" 7	DEAD TREE. DROUGHT STRESSED, SPLITTING BARK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	9	CARROTWOOD (CUAN)	12	" 7	DEAD TREE. DROUGHT STRESSED, ROOT PRUNED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	15	CARROTWOOD (CUAN)	14	" 7	99% DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	16	CARROTWOOD (CUAN)	15	" 7	99% DEAD TREE. DROUGHT STRESSED, SUPERFICIAL SPLITTING. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	30	AMERICAN SWEETGUM (LIST)	12	" 7	DEAD TREE. UNKNOWN POWDERY SUBSTANCE BETWEEN BARK AND HARDWOOD NOT IDENTIFIABLE AT THIS TIME. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	36	AMERICAN SWEETGUM (LIST)	12	" 7	DEAD TREE. TRUNK WOUND WITH DECAY AND A POWDERY RED SUBSTANCE BEING RESEARCHED FOR IDENTIFICATION. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1201	S. MARENGO AVE	F	42	AMERICAN SWEETGUM (LIST)	13	" 7	DEAD TREE. TRUNK CAVITY WITH TERMITES AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
645	E. WALNUT ST	N	A	CALIFORNIA FAN PALM (WAFI)	35	" 3	ROOT SYSTEM HAS OVERGROWN CURB AT PROPERTY LINE. OVERALL CONDITIN IS GOOD.	TREE REMOVAL PENDING
645	E. WALNUT ST	N	A	MEXICAN FAN PALM (WARO)	23	" 3	SLIGHT BOW IN TRUNK. OVERALL CONDITION IS GOOD.	TREE REMOVAL PENDING
645	E. WALNUT ST	N	A	BOTTLE TREE (BRPO)	19	" 3	INCLUDED BARK AT POINT OF MULTIPLE ATTACHMENTS. OVERALL CONDITION IS FAIR.	TREE REMOVAL PENDING
390	E. COLORADO BLVD	S	2	ORNAMENTAL PEAR (PYCA)	5	" 6	OVERALL CONDITION IS GOOD	TREE REMOVAL PENDING
390	E. COLORADO BLVD	S	3	ORNAMENTAL PEAR (PYCA)	5	" 6	OVERALL CONDITION IS GOOD	TREE REMOVAL PENDING
677	S. MARENGO AVE	F	1	TULIP TREE (LITU)	3	" 6	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
511	S. MARENGO AVE	F	1	TULIP TREE (LITU)	10	" 6	DEAD TREE. ROOT ROT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
476	S. MARENGO AVE	F	1	TULIP TREE (LITU)	4	" 6	99% DEAD. DECAYING TRUNK WOUND, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
402	S. MARENGO AVE	F	1	TULIP TREE (LITU)	1	" 6	DEAD TREE. POOR LATERAL ROOT DEVELOPMENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
395	S. MARENGO AVE	F	1	TULIP TREE (LITU)	1	" 6	DEAD TREE. NO EXTERIOR VISIBLE DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
845	S. MARENGO AVE	F	1	TULIP TREE (LITU)	6	" 7	DEAD TREE. SOIL DISTURBANCE DURING ARTIFICIAL TURF INSTALLATION. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
845	S. MARENGO AVE	F	2	TULIP TREE (LITU)	7	" 7	DEAD TREE. SOIL DISTURBANCE DURING ARTIFICIAL TURF INSTALLATION. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
845	S. MARENGO AVE	F	3	TULIP TREE (LITU)	1	" 7	DEAD TREE. SOIL DISTURBANCE DURING ARTIFICIAL TURF INSTALLATION. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
818	S. MARENGO AVE	F	1	TULIP TREE (LITU)	16	" 7	DEAD TREE. ROOT GIRDLE, TRUNK CAVITY, TERMITES, DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
479	S. MARENGO AVE	F	2	TULIP TREE (LITU)	2	" 6	DEAD TREE. WEED WACKER DAMAGE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
385	S. MARENGO AVE	F	1	SHAMEL ASH (FRUH)	22	" 6	99% DEAD. CONSTRUCTION ACTIVITY IN ROOT ZONE, COMPACTED SOIL, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
530	S. MARENGO AVE	F	1	TULIP TREE (LITU)	6	" 6	DEAD TREE. WEED WACKER DAMAGE, EXFOLIATING BARK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
438	S. MARENGO AVE	F	1	TULIP TREE (LITU)	3	" 6	DEAD TREE. EXFOLIATING BARK, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
221	S. MARENGO AVE	F	1	TULIP TREE (LITU)	12	" 6	DEAD TREE. ROOT DECAY, COMPACTED SOIL, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
372	S. MARENGO AVE	F	1	TULIP TREE (LITU)	1	" 6	DEAD TREE. ROOT GIRDLE, POOR LATERAL ROOT DEVELOPMENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING